

HARNESSES



Sabell

Luigi Moreschi motorsport
www.moreschi.info Srl

Via E. Fermi 4 - 46020

Quingentole (MN), Italy UE

Tel +39-038642545

 **+39-3928460840**

www.moreschi.info

Imm@moreschi.info



Sabell



IMAGE FROM THE 2024 SEASON



**FERRARI
TECHNICAL
PARTNER**

FIA 8853-2016

GT / RALLY



WRC HARNESS



CFCI4428G632SD7F



CFCI42170068



CFCI4210A622SD2F



CFCI4210A622SU2F



CFCI4335A633SU2F



CFCI22100165



CFCI22100162



CFCI22100167



CFCI4335S632SD2F



CFCI4210S622SU2F



CFCI4335S633SU2F



FORMULA



F1 HARNESS



CFCI4397G832FU6F



CFCI4393G622FU6F



CFCI4350A622FU3F



CFCI4350S622FU3F



CFCI43500064



FIA 8854/98

GT / RALLY



CFCI4118A433SD4F



CFCI4118S433SD4F



CFCI4118S433SU4F




CFCI2000A422SD3F



(NO FIA)

RACING NET



CFRN2010



CFRN2012



CFRN2008



CFRN2003



CFRN2027



CFRN2002B



ECE 16

CLUBMAN



CFCC4046 (NO ECE)



CFCC904001NP_A



CFCC904070NP_B



CFCC904059NP_B




CFCC904005N_B




CFCC904002N_A



WINDOW NET



Z280988



Z280985



BUCKLES

**B1**

Tongues entry designed to simplify the driver fastening. Machined from solid aluminium.

**B5**

Tongues entry designed to simplify the driver fastening. Quick release with spring ejectors. 255 g

**B2**

With integrated crotch belt "T" type attachment. Aluminium. Patented buckle. 219 g

**B6**

Developed with Formula 1 Teams. Superlight buckle in machined from solid aluminium.

**B3**

For "Formula" safety belt developed in Formula 1. Aluminium. Protection for the lever. 192 g

**B4**

Buckle for 4 points safety belt. Aluminium. 184 g

**B7**

Developed for Endurance applications. 2019 and 2021 24h Le Mans winner. 266 g

ADJUSTERS

**A9**

2" Quick release adjuster machined from solid aluminium. Developed in Formula1. 54 g

**A10**

2" Quick release adjuster machined from solid aluminium. Developed for double shoulder belt. 74 g

**A1**

Quick release adjuster for 3" webbing. Forged and anodized aluminium. 2021 24h Le Mans winner. 95 g

**A2**

Quick release adjuster for 2" webbing. Forged and anodized aluminium. 70 g

**A13**

Aluminium quick adjuster 2" with webbing guide. 2019 24h Le Mans winner. 78 g

**A16**

Lap strap tongue with integrated adjuster for 2" width webbing. Steel. 2021 24h Le Mans winner. 113 g

**A3**

Adjuster integrated to the buckle tongue designed for 2" webbing. Developed for GT/Endurance cars. Steel-aluminium. 2019 24h Le Mans winner. 123 g

**A4**

Adjuster for 2" webbing. Steel-aluminium. 113 g

**A5**

"America" adjuster for 3" webbing. Steel. 147 g

**A6**

"America" adjuster for 2" webbing. Steel. 94 g

**A14**

"Tribar" adjuster for 2" webbing. Steel. 80 g

**A7**

"Tribar" adjuster for 3" webbing. Steel. 110 g

**A8**

"Tribar" adjuster for 2" webbing. Steel. 80 g

**A12**

"Bufflug" steel adjuster. 63 g

**A11**

Steel "Stop" adjuster for 2" webbing. 24 g

**A15**

Ergal "Tribar" adjuster for 3" webbing. 64 g

FIXINGS

**F1**

Carabiner. Inox Steel. 24 g

**F2A**

Snap hook in combination with A7 or A8. Steel. 77 g

**F2B**

Sewn snap hook. Steel. 77 g

**F3A**

Fixing plate in combination with A7 or A8. Steel. 63 g

**F3B**

Sewn fixing plate. Steel. 63 g

**F4**

Sewn "P" type steel fixing plate. 47 g

**F5**

"Wrap around" fixing in combination with A7 or A8.

**F6**

"Sewn loop" fixing.

**F7**

Titanium double fixing plate for 2" webbing. For M8 screw. 38 g

**F8**

Small Sewn fixing plate. 45 g

**F9**

Small fixing plate. 44 g

**F10**

Double hole fixing plate. 38 g

**F11**

Sewn double hole fixing plate. 38 g

**F12**

X2 double hole fixing plate. 76 g

TONGUES

**T1**

Lap belt tongue with ergonomic bend. Steel. 32 g

**T2**

Shoulder belt tongue for 3" webbing. Steel. 30 g

**T3**

Shoulder belt tongue for 2" webbing. Steel. 23 g

**T4**

Titanium mini-tongue for CCG622FSR, CCG832FSR harnesses. 7 g

**T5**

Titanium tongue for E1 harnesses. 9 g

**T6**

Lap belt tongue with ergonomic bend. Titanium. 18 g

**T7**

Steel shoulder belt tongue +5 mm. 38 g

OPTIONALS

**02**

Logo printed directly on the webbing in high grip material for FHR.

**04**

Closure velcro for adjustable straps.

**05**

Ergonomic handle.

**06**

Intercom or Drink System cord.

**07**

Velcro on upper shoulder belt.

**08**

Vintage logo

GOLD Endurance

STANDARD FEATURES

GT/RALLY				GOLD	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
430	790	620	330	CFCI4428G632SD7F	CFCI2428G632SD7F	CFCI1428G632SD7F




 **APPROVED**

MANUFACTURER: SABELT
MODEL: ENDURANCE
HOM. NO: SH.064.19-T-6
FIA STANDARD: 8853-2016

CFCI4428G632SD7F

CONFIGURATIONS ON DEMAND (See details at page 19)






SILVER LPM

CFCI42170068

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CFCI42170068	CFCI22170068	CFCI12170068

CONFIGURATIONS ON DEMAND (See details at page 19)




* Gadget kit not included.

SILVER Endurance



STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CFCI4210A622SD2F	CFCI2210A622SD2F	CFCI1210A622SD2F



CFCI4210A622SD2F

CONFIGURATIONS ON DEMAND (See details at page 19)



* Gadget kit not included.




Image from the 2024 season

SILVER GT 997 911 GT3

CFCI22100165 - STANDARD FEATURES

GT				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
360	1700	720	390	CFCI42100165	CFCI22100165	CFCI12100165




MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH001.16-T-6
FIA STANDARD: 8853-2016

SILVER GT 991-984 GT4

CFCI22100162 - STANDARD FEATURES

GT				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
450	380	700	765	CFCI42100162	CFCI22100162	CFCI12100162



**APPROVED**

MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH001.16-T-6
FIA STANDARD: 8853-2016

SILVER Enduro 997 911 GT3

CFCI22100167 - STANDARD FEATURES

GT				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
360	1700	720	390	CFCI42100167	CFCI22100167	CFCI12100167




**APPROVED**

MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH001.16-T-6
FIA STANDARD: 8853-2016

SILVER Rally


STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CFCI4210A622SU2F	CFCI2210A622SU2F	CFCI1210A622SU2F



CFCI4210A622SU2F

CONFIGURATIONS ON DEMAND (See details at page 19)



* Gadget kit not included.

SILVER Rally 3x3


STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CFCI4335A633SU2F	CFCI2335A633SU2F	CFCI1335A633SU2F



CFCI4335A633SU2F

CONFIGURATIONS ON DEMAND (See details at page 19)



STEEL Rally 3x2

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CFCI4335S632SD2F	CFCI2335S632SD2F	CFCI1335S632SD2F



CFCI4335S632SD2F


CONFIGURATIONS ON DEMAND (See details at page 19)



STEEL Rally


STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CFCI4210S622SU2F	CFCI2210S622SU2F	CFCI1210S622SU2F



CFCI4210S622SU2F

CONFIGURATIONS ON DEMAND (See details at page 19)



* Gadget kit not included.

STEEL Rally 3x3

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CFCI4335S633SU2F	CFCI2335S633SU2F	CFCI1335S633SU2F



CFCI4335S633SU2F


CONFIGURATIONS ON DEMAND (See details at page 19)



GOLD Superformula 8p

CFCI4397G832FU6F - STANDARD FEATURES

FORMULA					GOLD	FIA 8853-2016		
STANDARD MEASURES (mm)					STANDARD COLOURS/CODES			
A	B2	B3	C	D				
360	495+105	430	975 FULL Length	960 FULL Length	CFCI4397G832FU6F	CFCI2397G832FU6F	CFCI1397G832FU6F	



**APPROVED**


MANUFACTURER: SABELT
MODEL: NEW SPEC F4
HOM. NO: SH.061.19-T-8
FIA STANDARD: 8853-2016



GOLD Superformula 6p


STANDARD FEATURES

FORMULA				GOLD	FIA 8853-2016		
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES			
A	B	C	D				
360	370	975 FULL Length	960 FULL Length	CFCI4393G622FU6F	CFCI2393G622FU6F	CFCI1393G622FU6F	



CFCI4393G622FU6F


CONFIGURATIONS ON DEMAND (See details at page 19)



SILVER Formula


STANDARD FEATURES

FORMULA				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	700	530+120	1200	CFCI4350A622FU3F	CFCI2350A622FU3F	CFCI1350A622FU3F



CFCI4350A622FU3F


CONFIGURATIONS ON DEMAND (See details at page 19)



STEEL Formula basic


STANDARD FEATURES

FORMULA				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	700	530+120	1200	CFCI4350S622FU3F	CFCI2350S622FU3F	CFCI1350S622FU3F



CFCI4350S622FU3F

CONFIGURATIONS ON DEMAND (See details at page 19)





STEEL Formula mid

CFCI43500064

STANDARD FEATURES

FORMULA				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	320	400+120	950	CFCI43500059	CFCI23500059	CFCI13500059

CONFIGURATIONS ON DEMAND (See details at page 19)



**APPROVED**


MANUFACTURER: SABELT
MODEL: NEW SPEC F2
HOM. NO: SH.033.17-T-6
FIA STANDARD: 8853-2016



SILVER 911 passenger

CFCI2000A422SD3F - STANDARD FEATURES

GT / ROAD				SILVER	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
360	1700	720		CFCI4000A422SD3F	CFCI2000A422SD3F	CFCI1000A422SD3F



NOT HOMOLOGATED



SILVER Kit Car

CFCI4118A433SD4F

STANDARD FEATURES

SALOON - FOR KIT CAR "W"				SILVER	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
480	450	130+610		CFCI4118A433SD4F	CFCI2118A433SD4F	CFCI1118A433SD4F

CONFIGURATIONS ON DEMAND (See details at page 19)



**APPROVED**

MANUFACTURER: SABELT
MODEL: TOP FORMULA
HOM. NO: B.122.T/98
FIA STANDARD: 8854/98


STEEL Kit Car

CFCI4118S433SD4F

STANDARD FEATURES

SALOON - FOR KIT CAR "C"				STEEL	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
480	450	130+610		CFCI4118S433SD4F	CFCI2118S433SD4F	CFCI1118S433SD4F


CONFIGURATIONS ON DEMAND (See details at page 19)



STEEL Four Point

CFCI4118S433SU4F - STANDARD FEATURES

SALOON				STEEL	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
380	1700	560+120		CFCI4118S433SU4F	CFCI2118S433SU4F	CFCI1118S433SU4F



**APPROVED**

MANUFACTURER: SABELT
MODEL: TOP FORMULA
HOM. NO: B.122.T/98
FIA STANDARD: 8854/98

EYE BOLTS AND PLATES



407005_C
Standard eye-bolt diam. 7/16" UNF thread length 23 mm, 25 mm tot., 8.8.



CCM10023
Eye-bolt metric M10 x 1.5 thread length 23 mm, 8.8. Does not comply with FIA requirements.



CCM10017_A WESTFIELD
Eye-bolt 50 mm. long, 7/16", 8.8



CCM10016
Eye-bolt back plate 65 mm x 65 mm x 3 mm 7/16" UNF thread welded nut, 40 mm². Complies with FIA requirements.



CAM10152
Kit with screw 7/16"
CAM10151
Washer e bushing M8)

PADS



3"

Vep fabric shoulder cover. 75 mm (3") width. Velcro fastening.

475040	475020	475010



2"

Vep fabric shoulder cover. 50 mm (2") width. Velcro fastening.

450040/S	450020/S	450010/S

CCM10135_KIT
Kit with screw 7/16" thread, 35mm lenght with spacer and washers.

COLORED GADGET KIT FOR ENDURANCE BUCKLES B1 TYPE



CCAC0104_KIT
Straps.



CCET0408_KIT
Stickers.



CFCC4046
SALOON

FIXING POINTS	4
HOMOLOGATION	NOT HOMOLOGATED
STANDARD COLOURS/CODES	
	CFCC4046
	CFCC2046
	CFCC1046

Available on demand buckle with switch for SBR sensor



CFCC904059NP_B
SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904059NP_B
	CFCC902059NP_B
	CFCC901059NP_B

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.

CFCC904001NP_A
SALOON

FIXING POINTS	4
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904001NP_A
	CFCC902001NP_A
	CFCC901001NP_A

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.

CFCC904005N_B
SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904005N_B
	CFCC902005N_B
	CFCC901005N_B

Available on demand buckle with switch for SBR sensor



CFCC904070NP_B
SALOON

FIXING POINTS	4
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904070NP_B
	CFCC902070NP_B
	CFCC901070NP_B

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.

CFCC904002NP_A
SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904002NP_A
	CFCC902002NP_A
	CFCC901002NP_A

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.

NETS


Luigi Moreschi motorsport
www.moreschi.info
 Via E. Fermi 4 - 46020
 Quingentole (MN), Italy UE
 Tel +39-038642545
 +39-3928460840
www.moreschi.info
 Imm@moreschi.info

Sabelt    

CFRN2010 (GT-3 Door side)

RACING NET - DEVELOPED WITH FERRARI COMPETIZIONI GT


This configuration is homologated for F296.
 Specifically developed for Ferrari F171 seat.



CFRN2012 (GT-3 Tunnel side)

RACING NET - DEVELOPED WITH FERRARI COMPETIZIONI GT

This configuration is homologated for F296.
 Specifically developed for Ferrari F171 seat.




CFRN2008 (Universal Gold)

RACING NET

 **APPROVED**

MANUFACTURER: SABELT
MODEL: CFRN2008
HOM. NO: RN.025.21
FIA STANDARD: 8863-2013




CODE	
ONE VERSION COMPLETE	CFRN2008
ONE VERSION TRIANGULAR ASSEMBLY WITH BUCKLE	CFRN2004
FRONT STRAP	CFRN2005

CFRN2003 (Universal Tunnel side)

RACING NET

 **APPROVED**

MANUFACTURER: SABELT
MODEL: CFRN2003
HOM. NO: RN.015.18
FIA STANDARD: 8863-2013




CODE	
LEFT VERSION	CFRN2003LH
RIGHT VERSION	CFRN2003RH

CFRN2027 (New Universal Steel)

RACING NET

 **APPROVED**

MANUFACTURER: SABELT
MODEL: CFRN2015
HOM. NO: RN.020.20
FIA STANDARD: 8863-2013




CODE	
ONE VERSION	CFRN2027

CFRN2002B (Universal Steel)

RACING NET

 **APPROVED**

MANUFACTURER: SABELT
MODEL: CFRN2002
HOM. NO: RN.020.20
FIA STANDARD: 8863-2013



CODE	
ONE VERSION	CFRN2002B

Z280988

WINDOW NET

Professional window net.

- Rollcage fixing clamps
- Rigid metal bars
- Quick release with push button
- Tightening adjusters
- Polyester webbing

In compliance with Fia regulation.




Z280985

WINDOW NET

Professional window net

- Red webbing opening System
- Tightening adjusters
- Rollcage mounting
- Polyester webbing

In compliance with Fia regulation.



SEATS



Sabelt®

Luigi Moreschi motorsport
www.moreschi.info Srl
Via E. Fermi 4 - 46020
Quingentole (MN), Italy UE
Tel +39-038642545
+39-3928460840
www.moreschi.info
lm@morechi.info

Sabelt    

FIA 8862-2009

GT/RALLY/CIRCUIT

**GT-PRO**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

**GT-635**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

CIRCUIT ONLY

**GT-X GT3**

- Shell: CARBON
- Fixing: SIDE + REAR BRACKETS
- Size: M-L-XL

**GT-X CHP**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

**GT-MCL**

- Shell: CARBON
- Fixing: SIDE + REAR BRACKETS
- Size: L-XL

**GT-635**

- Shell: CARBON
- Fixing: BRACKETS/SLIDING TRACKS
- Size: M-L-XL

SFI 39.1

NASCAR

**GT-910**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M

FIA 8855-2021

HEAD PROTECTION

**SPINE**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

**GT-AM**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

FIA 8855-1999

HEAD PROTECTION

**X-PAD CARBON**

- Shell: CARBON
- Fixing: BRACKETS
- Size: L

**X-PAD RALLYCROSS**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**X-PAD**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**GT-PAD**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

**TAURUS**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

NO HEAD PROTECTION

**TITAN MAX**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: XL

**GT-3**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

KIT - SPINE

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
	M-35	RCSPINEPADMN
	L-25	RCSPINEPADLN
	XL-15	RCSPINEPADXLN



CUSHIONS - GT-PRO / GT-AM



S3
Seatback cushion th. 20 mm
RRGTPRO0014



S2
Size pads
th. 10 mm RRGTPRO0041
th. 20 mm RRGTPRO0042
th. 25 mm RRGTPRO0043
th. 30 mm RRGTPRO0044



CS5
Seat cushion
th. 20 mm RRGTPRO0015
th. 40 mm RRGTPRO0040



CS4
Seat cushion
th. 20 mm RRGTPRO0016
th. 40 mm RRGTPRO0045



S3



CS5



S2

CUSHIONS - TITAN / TAURUS



S1
Seatback cushion th. 20 mm
TITAN RRTITAU002_A
TITAN MAX RRTITAU003_A
TAURUS RRTITAU002_A
TAURUS MAX RRTITAU003_A



CS1
Lower cushion th. 20 mm
TITAN RRTITAU004_A
TITAN MAX RRTITAU007_A
TAURUS RRTITAU004_A
TAURUS MAX RRTITAU007_A



CS2
Lower cushion th. 40 mm
TITAN RRTITAU005_A
TITAN MAX RRTITAU008_A
TAURUS RRTITAU005_A
TAURUS MAX RRTITAU008_A



CS3
Lower cushion th. 50 mm
TITAN RRTITAU006_A
TITAN MAX RRTITAU009_A
TAURUS RRTITAU006_A
TAURUS MAX RRTITAU009_A



PG1
Leg cushion th. 40 mm
TITAN RRTITAU010_A
TITAN MAX RRTITAU012_A
TAURUS RRTITAU010_A
TAURUS MAX RRTITAU012_A



PG2
Leg cushion th. 50 mm
TITAN RRTITAU011_A
TITAN MAX RRTITAU013_A
TAURUS RRTITAU011_A
TAURUS MAX RRTITAU013_A



CPR
Lower back support
RRTITAU014_A



CL
Lumbar support
RRTITAU001_A



CS3



CS2



CS1



PG2



PG1



S1



CPR



CL

FIXING BRACKETS



F1
Steel brackets, th. 3mm, in compliance with FIA.
Z200087_A



F2
Aluminium brackets, th. 5 mm, in compliance with FIA.
Z200005_C



F3
Sliding tracks, travel 230 mm. No FIA.
Z200002_A



F16
Steel brackets for GT-X CHP.
Fia Homologated 8862-2009. Bolts included.
RFST0083_KIT



F17
Steel brackets for GT-MCL.
Fia Homologated 8862-2009. Bolts included.
RFST0067LH_KIT - RTST0067RH_KIT



F17 bis
Steel brackets for GT-MCL.
Fia Homologated 8862-2009. Bolts included.
RFST0068_KIT



F4
Steel brackets for GT-635. Fia Homologated 8862-2009. Bolts included.
Note: Specify the seat size during the order.
RCST635FIX_KIT



F5
Sliding tracks for GT-635. Fia Homologated 8862-2009. Bolts included.
Size M: **RCST635SLIDINGM_KIT**
Size L/XL: **RCST635SLIDINGXL_KIT**



F8
Brackets for GT-PRO M. Fia Homologated 8862-2009. Bolts included.
RFST0028_KIT



F17 ter
Steel Brackets for GT-MCL.
Fia Homologated 8862-2009
RFST0069



F18
Steel Brackets for GT-AM specific for F458.
NOT HOMOLOGATED
RFST0041



F19
Steel Brackets specific for GT-PROXL for porsche 991GT3 - 992GT3R.
RFST0082



F11
Brackets for GT-PRO XL. Fia Homologated 8862-2009. Bolts included.
RFST0032_KIT - RFST0033_KIT
RFST0036_KIT - RFST0038_KIT
RFST0047_KIT



F12
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0071_KIT



F12 bis
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0051_KIT

UNIVERSAL BRACKET
Compatible with all seats



F14
Universal seat subframe to be adapted to the vehicle body floor according to FIA 253-65B Annex J instructions.
- 2x 35 mm squared section pipes
- 4x end plates (90x45) mm
- 4x steel plates (110x65) mm
- 4x M8 bushing
RFST0079



F12 ter
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0095_KIT




F13
Steel brackets for GT-X GT3.
Fia Homologated 8862-2009. Bolts included.
RFST0049_KIT - RFST0091_KIT
RFST0093_KIT



F15
Sliding tracks for GT-X CHP. Fia Homologated 8862-2009. Bolts included.
Size M: **RFST0077_KIT**
Size L/XL: **RFST0078_KIT**


LEGEND SEAT DIMENSIONS CHART





SHELL DIMENSIONS (mm)	
A	Length
B	Height
C	External shoulder width
D	External lower frontal width
E	External lower rear width
F	Lateral interaxis distance
	Shell weight (kg)

INTERNAL SEAT DIMENSIONS (mm)	
G	Rear lower cushion width
H	Frontal lower cushion width
I	Internal shoulder width
L	Central seatback width
M	Internal head protection width
N	Central bezel height
	Seat weight (kg)

8862-2009 / 8855-2021



8855-1999



8862-2009

GTPRO															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F8	RFST0025	58,5	20	105	22	428,5	435,5	406,5	40	M8	8	12,9	M12	4	12,9
	RFST0028	73		119,5	22,5	416	448	406,5	40	M8	8	12,9	M12	4	12,9
F11	RFST0032	67,5	30	84,5	60	475,4	488,4	401	59	M8	8	12,9	M12	4	12,9
	RFST0033	127	30	144	60	475,4	488,4	401	59	M8	8	12,9	M12	4	12,9
	RFST0036	94	/	124,5	23	418,5	445	406,5	40	M8	8	12,9	M12	4	12,9
	RFST0038	50,5	20	84	20	473	483	391,8	40	M8	8	12,9	M12	4	12,9
	RFST0047	90,5	20	124	40	472,7	482,5	391,8	40	M8	8	12,9	M12	4	12,9
F19	RFST0082	127	27	113,5	42	409	-	390	-	M10	4	10,9	M12	4	12,9

GT-MCL															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F17	RFST0067_Lh+Rh	125	12	145	50	398	414	423	80	m8	4	12,9	M12	4	12,9

GT-635 M e XL															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F4	RFST0011	106	18	146	34	432		406,5	40	M8	8	12,9	M12	4	12,9
F5	RFST635M_A RFST635XL_A	106	18	146	34	432		406,5		M8	8	12,9	M12	4	12,9

GT-X															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F13	RSFT0049	90	20	159	20	405	375	360	60	M8	8	12,9	M12	4	12,9
F15	RFST0078_KIT	78	20	145	60	473,5	490	461		M10	4	10,9	M12	4	12,9
	RFST0077_KIT	78	20	145	60	473,5	490	461		M10	4	10,9	M12	4	12,9
F16	RFST0083_KIT	78	20	145	60	473,5	490	461		M10	4	10,9	M12	4	12,9

8855-2021

SPINE																
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
											SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F12	RFST0051	A	102	75,5	80	80	451	482,7	414	125	M10	4	12,9	M12	4	12,9
F12	RFST0071	B	110	195	110	188	396,5	412,5	537	144	M10	4	10,9	M12	4	12,9
F12	RFST0095	A	122	78	108	78	437	473	519	126	M10	4	10,9	M12	4	12,9

SPINE M																
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
											SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F12	RFST0051	A	102	75,5	80	80	404	436	414	125	M10	4	12,9	M12	4	12,9
F12	RFST0071	B	110	195	110	188	350	366	537	144	M10	4	10,9	M12	4	12,9
F12	RFST0095	A	122	78	108	78	390	426	519	126	M10	4	10,9	M12	4	12,9

GT-AM																
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
											SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F12 bis	RFST0051		102	75,5	80	80	413	429	414	125	M10	4	12,9	M12	4	12,9
F12	RFST0071	A	110	195	110	188	413	429	537	144	M10	4	12,9	M12	4	12,9
F18	RFST0041	A	103	45,5	90	79,5	427	437	386,5	61,5	M8	4		M12	4	12,9

NOT FIA
HOMOLOGATED

8855-1999

X-PAD														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	356	349	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	444	438	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	348	343,4	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	456	447,6	324	34	M8	4	M8	4

GT-PAD														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	426	418	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	518	508	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	422	415	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	534	518	324	34	M8	4	M8	4

TAURUS M														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	352,6	335,3	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	441,8	424,5	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	345,2	329,9	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	453,2	433,9	324	34	M8	4	M8	4

TAURUS L														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	358,8	350,7	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	448	439,9	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	351,4	345,3	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	459,4	449,3	324	34	M8	4	M8	4

TAURUS XL														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	381,5	350,7	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	470,7	439,9	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	374,1	345,3	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	482,1	449,3	324	34	M8	4	M8	4

TITAN XL														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	382,3	373,9	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	471,5	463,1	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	374,9	368,5	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	482,9	472,5	324	34	M8	4	M8	4


GT-3														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2 (mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	390,1	374,2	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	479,3	463,4	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	382,7	368,8	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	490,7	472,8	324	34	M8	4	M8	4

GT-PRO

8862-2009

GT/RALLY/CIRCUIT

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	825	795	
B	770	770	
C	625	644	
D	443	482	
E	389	427	
F	340	340	
Ⓜ	8,5*	9,3*	
INTERNAL SEAT DIMENSIONS (mm)			
G	302	325	340
H	343	335	350
I	430	440	450
L	321	340	370
M	328	330	330
N	512	512	512
Ⓜ	10,1	11,2	11,2

* Shell weight ± 10%*



FIXING BRACKETS



F8




F11



F19

FOR PORSCHE ONLY

FLOOR FIXING



SEE SCHEME ON PAGE 76

• Size: **M**

• Cod: **RFSEGTPROPADM**

APPROVED

MANUFACTURER: SABELT
MODEL: GT-PRO M
HOM. NO: AS.081.19
FIA STANDARD: 8862-2009

• Size: **L**

• Cod: **RFSEGTPROPADL**

APPROVED

MANUFACTURER: SABELT
MODEL: GT-PRO XL
HOM. NO: AS.086.20
FIA STANDARD: 8862-2009

• Size: **XL**

• Cod: **RFSEGTPROPADXL**


APPROVED

MANUFACTURER: SABELT
MODEL: GT-PRO XL
HOM. NO: AS.086.20
FIA STANDARD: 8862-2009

GT-635

CIRCUIT ONLY (with sliding tracks) - GT/RALLY/CIRCUIT (with fixed brackets)

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	530	540	
B	910	930	
C	656	676	
D	472	502	
E	400	430	
F	290	290	
⊞	8,4*	11,3*	
INTERNAL SEAT DIMENSIONS (mm)			
G	316	337	357
H	349	364	384
I	541	546	566
L	368	417	437
M	317	325	325
N	670	656	656
⊞	10,9	13,8	13,5

* Shell weight ± 10%

SPARES AND ACCESSORIES




KIT COVER
RRGT635015 (GT635M)
RRGT635017 (GT635XL)



FIXING BRACKETS



FLOOR FIXING



SEE SCHEME ON PAGE 76

8862-2009



• CIRCUIT ONLY • with sliding tracks	• Size: M • Cod: RFSEGT635DMN MANUFACTURER: SABELT MODEL: GT-635 M HOM. NO: AS.057.16 FIA STANDARD: 8862-2009	• Size: L • Cod: RFSEGT635DLN MANUFACTURER: SABELT MODEL: GT-635 XL HOM. NO: AS.058.16 FIA STANDARD: 8862-2009	• Size: XL • Cod: RFSEGT635DXLN MANUFACTURER: SABELT MODEL: GT-635 XL HOM. NO: AS.058.16 FIA STANDARD: 8862-2009
• GT/RALLY/CIRCUIT • with fixed brackets	• Size: M • Cod: RFSEGT635MN MANUFACTURER: SABELT MODEL: GT-635 M HOM. NO: AS.060.16 FIA STANDARD: 8862-2009	• Size: L • Cod: RFSEGT635LN MANUFACTURER: SABELT MODEL: GT-635 XL HOM. NO: AS.061.16 FIA STANDARD: 8862-2009	• Size: XL • Cod: RFSEGT635XLN MANUFACTURER: SABELT MODEL: GT-635 XL HOM. NO: AS.061.16 FIA STANDARD: 8862-2009


GT-X GT3

CIRCUIT ONLY

8862-2009

Developed with Ferrari Competizioni GT

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	456	479	
B	848	848	
C	606	606	
D	458	458	
E	418	418	
F	340	340	
G	10*	10,5*	
INTERNAL SEAT DIMENSIONS (mm)			
G	310	320	340
H	320	330	350
I	410	425	445
L	290	300	320
M	350	350	350
N	710	710	720
Weight	12,5	13,5	13,5

* Shell weight ± 10%



FIXING BRACKETS




F13



6 POINTS BRACKETS
For more details please contact Sabelt Directly

FLOOR FIXING



SEE SCHEME ON PAGE 76

• Size: M
• Cod: RFSEGTXTGT3M

FIA APPROVED

MANUFACTURER: SABELT
MODEL: GT-X M
HOM. NO: AS.102.22
FIA STANDARD: 8862-2009

• Size: L
• Cod: RFSEGTXTGT3L

FIA APPROVED

MANUFACTURER: SABELT
MODEL: GT-X L
HOM. NO: AS.101.22
FIA STANDARD: 8862-2009

• Size: XL
• Cod: RFSEGTXTGT3XL

FIA APPROVED


MANUFACTURER: SABELT
MODEL: GT-X XL
HOM. NO: AS.101.22
FIA STANDARD: 8862-2009

GT-X CHP

8862-2009

CIRCUIT ONLY

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	456	479	
B	848	848	
C	606	606	
D	458	458	
E	418	418	
F	340	340	
👤	10*	10,5*	
INTERNAL SEAT DIMENSIONS (mm)			
G	310	320	340
H	320	330	350
I	410	425	445
L	290	300	320
M	350	350	350
N	710	710	720
👤	12,5	13,5	13,5

* Shell weight ± 10%



FIXING BRACKETS




F15



F16

FLOOR FIXING



SEE SCHEME ON PAGE 76

• Size: M

• Cod: RFSEGTXSABMPAD10

 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-X CHP M
HOM. NO: AS.106.23
FIA STANDARD: 8862-2009

• Size: L

• Cod: RFSEGTXSABL PAD20

 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-X CHP XL
HOM. NO: AS.105.23
FIA STANDARD: 8862-2009

• Size: XL

• Cod: RFSEGTXSABXLPAD10

 **APPROVED**


MANUFACTURER: SABELT
MODEL: GT-X CHP XL
HOM. NO: AS.105.23
FIA STANDARD: 8862-2009

GT-MCL

8862-2009

CIRCUIT ONLY

CARBON	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8862-2009



	L	XL
SHELL DIMENSIONS (mm)		
A	727,1	
B	851	
C	611,3	
D	465,2	
E	420,7	
F	293	
🔒	--*	
INTERNAL SEAT DIMENSIONS (mm)		
G	337,1	357,1
H	330	350
I	379,4	399,4
L	408,6	428,6
M	371,6	371,6
N	605,4	605,4
👤	--	--

* Shell weight ± 10%*



FIXING BRACKETS



F17




F17 bis



F17 ter

FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: L

• Cod: RFGTFIFTYPADL

APPROVED

MANUFACTURER: SABELT
MODEL: GT-MCL
HOM. NO: AS.103.23
FIA STANDARD: 8862-2009

• Size: XL

• Cod: RFGTFIFTYPADXL

APPROVED

MANUFACTURER: SABELT
MODEL: GT-MCL
HOM. NO: AS.103.23
FIA STANDARD: 8862-2009


GT-910

NASCAR

SFI 39.1

CARBON	SHELL SIZE	SFI
	M	39.1

MADE IN USA



Sizes	
M	
SHELL DIMENSIONS (mm)	
A	779
B	925
C	714
D	499
E	508
F	202
📏	19,0*

* Shell weight $\pm 10\%$

Full Carbon, Textreme external layer (unique design).
 Weight in compliance with new standards (42 lbs weight). Headrest included.
 Low COG (center of gravity).
 NASCAR Approved
 (69G sled test - SFI homologation - NASCAR 2015 quasi-static test).
 Shell made of seat + asymmetric headrest.
 Designed along with one of the most prestigious NASCAR Team.
 The seat is used and appreciated by several Top Drivers.




• Size:	M
• SHELL - Cod:	RFGT910M
• HEADREST - Cod:	RCGT911AM
• HEADREST+1" - Cod:	RCGT913AM

SPINE

8855-2021

FIBERGLASS	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8855-2021



Sizes					
M			XL		
Pads (mm)			Pads (mm)		
M-35	L-25	XL-15	M-35	L-25	XL-15
SHELL DIMENSIONS (mm)					
A	670		670		
B	907		907		
C	583		627		
D	471,7		513,5		
E	390		436,5		
F	290		290		
Ⓜ	10,8*		13,4*		
INTERNAL SEAT DIMENSIONS (mm)					
G	305	325	345	340	360
H	305	325	345	340	360
I	435	455	475	470	490
L	300	320	340	330	350
M	350	350	350	340	360
N	485	495	505	495	505
Ⓜ	12,8*	12,8*	12,8*	15,4*	15,4*

* Shell weight ± 10%*

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	M-35	RCSPINEPADMN
■	L-25	RCSPINEPADLN
■	XL-15	RCSPINEPADXLN



Racing Net Guide.
RFST0057_KIT

FIXING BRACKETS



F12




F12 bis



F12 ter

FLOOR FIXING



SEE SCHEME ON PAGE 76



* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: M

• Cod: RFSESPINEBASEM *

APPROVED

MANUFACTURER: SABELT
MODEL: SPINE
HOM. NO: CS.014.23
FIA STANDARD: 8855-2021

• Size: XL

• Cod: RFSESPINEBASE *


APPROVED

MANUFACTURER: SABELT
MODEL: SPINE
HOM. NO: CS.011.22
FIA STANDARD: 8855-2021

GT-AM

8855-2021

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-2021



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	795		
B	770		
C	644		
D	482		
E	427		
F	290		
📏	12*		
INTERNAL SEAT DIMENSIONS (mm)			
G	315	325	340
H	320	335	350
I	432	452	462
L	320	340	370
M	342	342	342
N	512	512	512
👤	16,9	16,9	16,9

* Shell weight ± 10%*

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
🖤	M	RRGTPR00043
🖤	L	RRGTPR00042
🖤	XL	RRGTPR00041



Racing Net Guide.
RFST0057_KIT



FIXING BRACKETS



F12




F12 bis



F18

FOR FERRARI 458 ONLY

FLOOR FIXING



SEE SCHEME ON PAGE 76



* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: XL

• Cod: RFSEGTAMBASE *




MANUFACTURER: SABELT
MODEL: GT-AM
HOM. NO: CS.012.22
FIA STANDARD: 8855-2021

X-PAD CARBON

8855-1999

CARBON	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
📏	4,9*
INTERNAL SEAT DIMENSIONS (mm)	
G	362
H	368
I	447
L	358
M	338
N	661
📏	6,3

* Shell weight ± 10%*

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	L	RCXPADNR



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: L
• Cod: RFSEXPADCARBON





MANUFACTURER: SABELT
MODEL: X-PAD CARBON
HOM. NO: CS.418.19
FIA STANDARD: 8855-1999

X-PAD RALLYCROSS

8855-1999

RALLYCROSS

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
📏	6,5*
INTERNAL SEAT DIMENSIONS (mm)	
G	372
H	378
I	460
L	370
M	340
N	661
📏	7,3

* Shell weight ± 10%*

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	L	RCXPADRCROSS3C

EXTRA 2 PADS 30 x 30 cm INCLUDED



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 76



* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: L

• Cod: RFSEXPADRCROSS
(SEAT ONLY WITHOUT PADDING KIT)


**APPROVED**

MANUFACTURER: SABELT
MODEL: X-PAD
HOM. NO: CS.419.19-
FIA STANDARD: 8855-1999

X-PAD

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
G	6,0*
INTERNAL SEAT DIMENSIONS (mm)	
G	362
H	368
I	447
L	358
M	338
N	661
Weight	7,7

* Shell weight $\pm 10\%$

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
Black	L	RCXPADNR



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: L

• Cod: RFSEXPADNR




MANUFACTURER: SABELT
MODEL: X-PAD
HOM. NO: CS.419.19
FIA STANDARD: 8855-1999

GT-PAD

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A		744	
B		878	
C		670	
D		529	
E		471	
F		290	
👤		8,9*	
INTERNAL SEAT DIMENSIONS (mm)			
G	365	380	395
H	405	420	435
I	540	550	560
L	346	356	366
M	380	380	380
N	660	660	660
👤	10,7	10,6	10,5

* Shell weight ± 10%*

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
🖤	M	RCGTPADKITMN
🖤	L	RCGTPADKITLN
🖤	XL	RCGTPADKITXLN
🔴	M	RCGTPADKITMR
🔴	L	RCGTPADKITLR
🔴	XL	RCGTPADKITXLR



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 76



* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: XL

• Cod: RFSEGTPAD *


 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-PAD
HOM. NO: CS.391.18
FIA STANDARD: 8855-1999

TAURUS

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	M - L - XL	BRACKETS	8855-1999



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	543	550	586
B	925	979	980
C	579	582	588
D	475	481	519
E	377	392	411
F	290	290	290
👤	8,4*	9,0*	9,7*
INTERNAL SEAT DIMENSIONS (mm)			
G	300	318	326
H	364	373	393
I	486	501	512
L	345	362	393
M	341	357	394
N	685	717	716
👤	10,5	11,4	11,4

* Shell weight ± 10%*


SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: **M**
• Cod: **RFSETAURUSMN**
FIA APPROVED
MANUFACTURER: SABELT
MODEL: TAURUS TG M
HOM. NO: CS.368.17
FIA STANDARD: 8855-1999



• Size: **L**
• Cod: **RFSETAURUSN**
FIA APPROVED
MANUFACTURER: SABELT
MODEL: TAURUS
HOM. NO: CS.346.16
FIA STANDARD: 8855-1999

• Size: **XL**
• Cod: **RFSETAURUSMAXN**
FIA APPROVED
MANUFACTURER: SABELT
MODEL: TAURUS MAX
HOM. NO: CS.347.16
FIA STANDARD: 8855-1999

TITAN MAX

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999



Sizes	
XL	
SHELL DIMENSIONS (mm)	
A	602
B	957
C	606
D	506
E	415
F	290
👤	7,8*
INTERNAL SEAT DIMENSIONS (mm)	
G	313
H	367
I	517
L	379
M	-
N	690
👤	9,9

* Shell weight ± 10%

SPARES AND ACCESSORIES



KFP



KP1



CS3



CS2



CS1



PG2



PG1



S1

CPR

CL

FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: XL

• Cod: RFSETITANMAXN

APPROVED

MANUFACTURER: SABELT

MODEL: TITAN MAX


HOM. NO: CS.350.16

FIA STANDARD: 8855-1999

GT-3

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999




Sizes	
L	
SHELL DIMENSIONS (mm)	
A	460
B	920
C	592
D	539
E	416
F	290
📏	7,2*
INTERNAL SEAT DIMENSIONS (mm)	
G	355
H	386
I	469
L	354
M	-
N	706
👤	9,8

* Shell weight ± 10%*


SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: L

• Cod: RFSEGT3N

APPROVED

MANUFACTURER: SABELT

MODEL: GT-3

HOM. NO: CS.355.17

FIA STANDARD: 8855-1999

RACEWEAR



Luigi Moreschi motorsport
www.moreschi.info Srl
 Via E. Fermi 4 - 46020
 Quingentole (MN), Italy UE
 Tel +39-038642545
 +39-3928460840
www.moreschi.info
 Imm@moreschi.info

Sabelt    

FIA 8856-2018

SUITS



HERO SUPERLIGHT TS-10



- Size: 46-66
- Weight: 265 g/m²
- SFI: 3.2A/5 - 3.4 available
- : available



HERO SUPERLIGHT WOMAN TS-10



- Size: 38-60
- Weight: 265 g/m²
- SFI: 3.2A/5 - 3.4 available
- : available



UNIVERSE TS-8



- Size: 44-66
- Weight: 310 g/m²
- : available



CHALLENGE TS-2



- Size: 44-66
- Weight: 360 g/m²
- SFI: 3.2A/5 - 3.4 available
- : available

FIA 8856-2018



ROCKET TS-1



- Size: S-XXXL
- Weight: 400 g/m²

GLOVES



GECKOTECH TG-11



- Size: 8-12



HERO SUPERLIGHT TG-10



- Size: 8-12



CHALLENGE TG-2.1



- Size: 8-12

UNDERWEAR



UI-600



- Balaclava: ONE SIZE
- Top/Pant: XS-XXXXL (slim fit)
- Socks: 38-46



UI-600 RF



- Top/Pant: S-XXXL (regular fit)



UI-200



- Balaclava: ONE SIZE
- Top/Pant: XS-XXL (slim fit)



UI-300



- Short (M): M-L
- Splip (W): M-L
- Bra: M-L

PERSONAL UNDERWEAR

ACCESSORIES



DAKAR JACKET

- Size: S-XXL



COOL-VEST

- Size: XS/S-M/L-XL/XXL

SHOES



HYPER TB-12



- Size: 38-46



HERO PRO TB-10.1



- Size: 36-48



UNIVERSE TB-8



- Size: 36-48
- SFI: 3.3/5 available



CLASSIC TB-2



- Size: 36-46

CREW

SUITS



ROCKET TM-1

- Size: S-XXXL • Hom: n/a



ARMOR TM-2



- Size: XXS-XXXXL
- Hom: SFI 3.2A/5-3.4



ARMOR TB-4



- Size: 39-45
- : available



LASER TB-3



- Size: 36-48
- : available



LASER TG-3.1



- Size: 9-13
- : available

MADE TO MEASURE SUIT TEMPLATE




NAME:

FLAG:

HEIGHT:

WEIGHT:



- 1
- Shoulder breadth (from points of shoulders bones across back)
- 2
- Body length from inside shoulder to waist
- 3
- Maximum chest circumference
- 4
- Waist circumference measured at the narrowest point
- 5
- Hip circumference
- 6
- Thigh circumference
- 7
- Calf circumference
- 8
- Outside leg length from waist to malleolus
- 9
- Desired length from the crotch to ankle
- 10
- Biceps circumference
- 11
- Sleeve length from point of shoulder bone to wrist (arm bent)
- 11 b
- Forearm lenght from elbow to wrist
- 12
- Crotch length from front collar bone through top of inside leg to back neck
- 13
- Maximum waist circumference
- 14
- Length from neck to waist
- 15
- Forearm circumference
- 16
- Lenght from the knee center to malleolus

1		4		7		10		12		15	
2		5		8		11		13		16	
3		6		9		11 b		14			

BELT:

☐ YES

☐ NO

DESIRED FIT:

☐ SLIM

☐ REGULAR

☐ LOOSE

NASCAR BOOTCUT:

☐ YES

☐ NO

COOLING HOLE:

☐ YES

☐ NOif YES

☐ LEFT

☐ RIGHT

POCKETS:

☐ CELL.

☐ NORMAL

☐ NONE

LOGOS:

☐ PRINT

☐ EMBROIDERY

MECHANIC FEATURES:

☐ YES

☐ NO



☐ DOUBLE BELT LOOP

☐ RADIO OR ACCESSORIES LOOP

☐ SHOULDER WIRE CORD

☐ BOOT CUT

SUITS - STANDARD SIZE CHART

Sizes listed are in cm and are for body measurements, not for the suit.

TS-10												
(SLIM FIT) - SIZE	44	46	48	50	52	54	56	58	60	62	64	66
SHOULDERS	38,5	41	42,5	43	45	46,5	48	49,5	51	52	52,5	55
CHEST under armhole	78-82	82-86	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126
WAIST	65-69	69-73	73-77	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113
PELVIS at 20 cm from waist	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121	121-125
THIGH 5 cm from crotch												
SLEEVES without cuff	59	60	61	62	63	64	65	66	67	68	68	70
OUTER LEG from waist without Cuff	98	99	100	101	102	103	104	105	106	107	108	109
INSIDE LEG without cuff	74	74,5	75	75,5	76	76,5	76	77,5	78	78,5	79	79,5
From neck in front to neck in back	146	149	152,5	155,5	158,5	162	165	168	171	174,5	177,5	180,5
HEIGHT	160-163	164-166	167-169	170-172	173-175	176-179	180-184	185-187	188-190	191-193	194-196	197-199
WEIGHT	42-48	49-54	55-60	61-66	67-72	73-78	79-84	85-90	91-96	97-102	103-108	109-114

TS-8 (REGULAR FIT)												
	44	46	48	50	52	54	56	58	60	62	64	66
SHOULDERS	40	41	43	44	45,5	47	48	49,5	51	52,5	54	56
CHEST under armhole	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126	126-130	130-134
WAIST	73-77	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121
PELVIS at 20 cm from waist	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121	121-125	125-129	129-133
THIGH 5 cm from crotch												
SLEEVES without cuff	58	59	60	61	62	63	64	65	66	67	68	69
OUTER LEG from waist without Cuff	101	102	103	104	105	106	107	108	109	110	111	112
INSIDE LEG without cuff	75	75,5	76	76,5	77	78	78,5	79	79,5	80	80,5	81
From neck in front to neck in back	149	153	156	159	162	165	169	172	174,5	178	181	184
HEIGHT	164-166	167-169	170-172	173-175	176-179	180-184	185-187	188-190	191-193	194-196	197-199	197-199
WEIGHT	49-54	55-60	61-66	67-72	73-78	79-84	85-90	91-96	97-102	103-108	109-114	109-114

TS-2 (COMFORT FIT)												
	44	46	48	50	52	54	56	58	60	62	64	66
SHOULDERS	40	41	43	44	45,5	47	48	49,5	51	52,5	53,5	55
CHEST under armhole	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126	126-130	130-134
WAIST	73-77	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121
PELVIS at 20 cm from waist	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121	121-125	125-129	129-133
THIGH 5 cm from crotch												
SLEEVES without cuff	60,5	61,5	62,5	63,5	64,5	65,5	66,5	67,5	68,5	69,5	70,5	71,5
OUTER LEG from waist without Cuff	101	102	103	104	105	106	107	108	109	110	111	112
INSIDE LEG without cuff	75	75,5	76	76,5	77	77.05.00	78	78,5	79	79,5	80	80,5
From neck in front to neck in back	150,5	154	157	160	163,5	166,5	170	173	176	179,5	182,5	185,5
HEIGHT	164-166	167-169	170-172	173-175	176-179	180-184	185-187	188-190	191-193	194-196	197-199	
WEIGHT	49-54	55-60	61-66	67-72	73-78	79-84	85-90	91-96	97-102	103-108	109-114	

TS-1 / TM-1	TM-2					
SIZE	SIZE	CHEST	WAIST	HIPS	WEIGHT	HEIGHT
-	XXS	72-78	60-65	73-77	31-36	n/a
		78-82	65-69	77-81	37-42	n/a
XS	XS	82-86	69-73	81-85	43-48	160-163
S	S	86-90	73-77	85-89	49-54	164-166
		90-94	77-81	89-93	55-60	167-169
M	M	94-98	81-85	93-97	61-66	170-172
		98-102	85-89	97-101	67-72	173-175
L	L	102-106	89-93	101-105	73-78	176-179
		106-110	93-97	105-109	79-84	180-184
XL	XL	110-114	97-101	109-113	85-90	185-187
		114-118	101-105	113-117	91-96	188-190
XXL	XXL	118-122	105-109	117-121	97-102	191-193
		122-126	109-113	121-125	103-108	194-196
XXXL	XXXL	126-130	113-117	125-129	109-114	197-199
		130-134	117-121	129-133	115-118	n/a
-	XXXXL	134-138	121-125	133-137	119-122	n/a
		138-142	125-129	137-141	123-126	n/a
		142-146	129-133	141-145	127-130	n/a

SUITS - STANDARD SIZE CHART (WOMAN) - ON DEMAND

Sizes listed are in cm and are for body measurements, not for the suit.

SIZE	SIZE	SHOULDERS	BREAST	CHEST	WAIST	HIPS	WEIGHT	HEIGHT
XS	38	35-37	78-82	74-78	58-62	82-86	40-45	154-158
	40	36-38	82-86	78-82	62-66	86-90	45-50	157-161
S	42	37-39	86-90	82-86	66-70	90-94	50-55	160-164
	44	38-40	90-94	86-90	70-74	94-98	55-60	163-167
M	46	39-41	94-98	90-94	74-78	98-102	60-65	166-170
	48	40-42	98-102	94-98	78-82	102-106	65-70	168-172
L	50	41-43	102-106	98-102	82-86	106-110	70-75	170-174
	52	42-44	106-110	102-106	86-90	110-114	75-80	173-177
XL	54	43-45	110-114	106-110	90-94	114-118	80-85	176-180
	56	44-46	114-118	110-114	94-98	118-122	85-90	179-183
XXL	58	45-48	118-122	114-118	98-102	122-126	90-95	180-184
	60	46-49	122-126	118-122	102-106	126-130	95-100	182-186


UNDERWEAR - STANDARD SIZE CHART

Sizes listed are in cm and are for body measurements, not for the underwear.


	SIZE					
UI-600 (SLIM FIT)	XS-S	M-L		XL-XXL		
UI-600 RF (REGULAR FIT)	S	M	L	XL	XXL	XXXL
UI-200 (SLIM FIT)	S	M-L		XL-XXL		
CHEST	82-90	90-102	102-114	114-122	122-130	130-138
WAIST	69-77	77-89	89-101	101-109	109-117	117-125
HIPS	81-89	89-101	101-113	113-121	121-129	129-137
HEIGHT	162-166	167-175	176-187	188-193	194-199	n/a
WEIGHT (kg)	43-54	55-72	73-90	91-102	103-114	115-122

SHOES, SOCKS, GLOVES - STANDARD SIZE CHARTS

SHOES				SOCKS
FOOT LENGTH (cm)	EU SIZE	US SIZE	UK SIZE	SIZE
23	36	4	3,5	38/39
23,5	37	5	4	
24	38	6	5	
25	39	6,5	5,5	
25,5	40	7,5	6,5	40/41
26	41	8	7	42/43
27	42	9	8	
27,5	43	10	9	44/45
28	44	10,5	9,5	
29	45	11,5	10,5	46
29,5	46	12	11	
30	47	13	12	
31	48	14	13	



GLOVES		
HAND DIMENSIONS (cm)	SIZE	
20-21	8	XS
21-22	9	S
22-23	10	M
23-24	11	L
24-25	12	XL



SUITS

Luigi Moreschi motorsport
www.moreschi.info Srl
 Via E. Fermi 4 - 46020
 Quingentole (MN), Italy UE
 Tel +39-038642545
 +39-3928460840
www.moreschi.info
 Imm@moreschi.info

Sabelt **FIA** **ACI** **MS**



HERO SUPERLIGHT TS-10

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
46-66	265 g/m ²	8856-2018	3.2A/5 - 3.4		FRIENDLY	

SLIM FITTING

Top of the range driver suit, made of 100% Nomex®. Perfect Lightness and Breathability thanks to the 3d honeycomb lining. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Hero Superlight TS-10 is Slim Fit made with ultrathin stitching and exclusive bi-stretch panel inserts. Made In Italy

Technical Details:

- Superlight: 265g/m²
- Slim fit
- Ultrathin stitch
- Bi-stretch elastic panel (Developed by Sabelt)
- Honeycomb lining (Developed by Sabelt)
- Lightweight cuffs (Developed by Sabelt)
- Pre-curved arms
- Full floating sleeves
- Frontal smartphone pocket
- YKK 3T Zipper (Developed by Sabelt)
- Lower neck collar
- FR homologated printing
- Sizes: 46-66
- Homologation: 8856-2018
- Composition: 100% Nomex
- Layers: 3



COLOURS/CODES	
	RFTITS10BINR..
	RFTITS10BLAZ..
	RFTITS10NRBI..
	RFTITS10RSBI..
	RFTITS10GRSGR.. NEW



HERO SUPERLIGHT WOMAN TS-10

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
38-60	265 g/m ²	8856-2018	3.2A/5 - 3.4		FRIENDLY	

REGULAR FITTING

Top of the range driver suit, made of 100% Nomex® developed by women for women.
Perfect Lightness and Breathability thanks to the 3d honeycomb lining.
All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers.
Hero Superlight TS-10 is Slim Fit made with ultrathin stitching and exclusive bi-stretch panel inserts.
Made In Italy

- Technical Details:**
- Superlight: 265g/m²
 - Slim fit
 - Ultrathin stitch
 - Bi-stretch elastic panel (Developed by Sabelt)
 - Honeycomb lining (Developed by Sabelt)
 - Lightweight cuffs (Developed by Sabelt)
 - Pre-curved arms
 - Full floating sleeves
 - Frontal smartphone pocket
 - YKK 3T Zipper (Developed by Sabelt)
 - Lower neck collar
 - FR homologated printing
 - Sizes: 36-60
 - Homologation: 8856-2018
 - Composition: 100% Nomex
 - Layers: 3



COLOURS/CODES	
	RFTUTS10WRFL..
	RFTUTS10WBI..
	RFTUTS10WNR..



UNIVERSE TS-8

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
44-66	310 g/m ²	8856-2018	3.2A/5 - 3.4		FRIENDLY	

REGULAR FITTING

Professional driver suit, made of 100% Nomex®.
Perfect Lightness and Breathability thanks to the 2 layers construction.
All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers.
Universe TS-8 is Slim Fit and is made with ultrathin stitching and share the same external fabric of our Hero Superlight TS-10
Made In Italy

- Technical Details:**
- Superlight: 310g/m²
 - Slim fit
 - Ultrathin stitch
 - Bi-stretch elastic panel (Developed by Sabelt)
 - Double lining (Developed by Sabelt)
 - Pre-curved arms
 - Full floating sleeves
 - Lateral Pockets
 - YKK 3T Zipper (Developed by Sabelt)
 - Lower neck collar
 - Embroidered customization
 - Sizes: 44-66
 - Homologation: 8856-2018
 - Composition: 100% Nomex
 - Layers: 2



COLOURS/CODES	
	RFTUTS8BI..
	RFTUTS8RS..
	RFTUTS8BL..
	RFTUTS8NR..



CHALLENGE TS-2

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
44-66	360 g/m ²	8856-2018	3.2A/5 - 3.4		FRIENDLY	

COMFORT FITTING

Professional Driver suit, made of 100% aramidic fiber. Improved lightness and breathability thanks to the two layers construction. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Challenge TS-2 shows the iconic racing square quilting and other technical features appreciated in rally application (full floating sleeves, pockets, belt). Made In Italy

- Technical Details:**
- Weight: 360g/m²
 - Lightweight external layer (Developed by Sabelt)
 - Lightweight cuffs (Developed by Sabelt)
 - Full floating sleeves
 - Pocket
 - Belt
 - YKK 3T Zipper (Developed by Sabelt)
 - Lower neck collar
 - Embroidered logos
 - Sizes: 44-66
 - Homologation: 8856-2018
 - Composition: 100% Aramidic fiber
 - Layers: 2



COLOURS/CODES	
	RFTITS2NR..
	RFTITS2RS..
	RFTITS2BI..
	RFTITS2BL..
	RFTITS2NRGFL..



SPIRIT TS-1

Size	Sandwich weight	FIA	Made in Italy	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
S-XXXL	400 g/m ²	8856-2018		

REGULAR FITTING

Professional Driver suit, made of 100% aramidic fiber. Improved lightness and breathability thanks to the two layers construction. Spirit TS-1 is an entry level suit but is with high-range features like: bi-color construction, elastic panel, belt, lateral pockets and full floating sleeves.

- Technical Details:**
- Weight: 400g/m²
 - Full floating sleeves
 - Elastic panel
 - Pocket
 - Belt
 - Lower neck collar
 - Embroidered logos
 - Sizes: S-XXXL
 - Homologation: 8856-2018
 - Composition: 100% Aramidic fiber
 - Layers: 2



COLOURS/CODES	
	RFTUTS1NR..



TS-SUBLIMATION

Size	Sandwich weight	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
MADE TO MEASURE	440 g/m ²	8856-2018		

COMFORT FITTING

Professional Driver suit, fully customizable.

All materials exclusively designed by Sabelt to ensure performance and style. **TS-SUBLIMATION** is fully customizable thanks to the sublimation printing on external fabric.

- Technical Details:**
- Superlight: 440 g/m²
 - Slim fit
 - Ultrathin stitch
 - Bi-stretch elastic panel (Developed by Sabelt)
 - Pre-curved arms
 - Full floating sleeves
 - Lateral Pockets
 - YKK 3T Zipper (Developed by Sabelt)
 - Lower neck collar
 - Embroidered customization
 - Sizes: 44-66
 - Homologation: 8856-2018
 - Layers: 2

 **APPROVED**

MANUFACTURER: SABELT
MODEL: TS-SUBLIMATION
HOM. NO: DC.346.23-O
FIA STANDARD: 8856-2018



CREATE
YOUR OWN STYLE
WITH NO LIMITS



DAKAR JACKET

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
S-XXL	8856-2018		

Sabelt fireproof outerwear, designed to meet the needs of rally raid drivers. Thermal comfort during race transfers in cold weather conditions and in the event of rain. The technology of the materials ensures maximum safety in terms of flame resistance. Thanks to an impermeable membrane, the jacket is completely waterproof and windproof.

THE OUTER FABRIC IS FULLY CUSTOMIZABLE
THANKS TO THE TS-SUBLIMATION TECHNOLOGY.

All materials exclusively designed by Sabelt to ensure performance and style.
TS-SUBLIMATION is fully customizable thanks to the sublimation printing on external fabric.

Technical Details:

- Standard fit
- Shoulder handle
- YKK 3T zipper
- Composition:
 - 25% polyester
 - 75% Nomex
- Sizes : S-XXL
- Internal hidden chest pocket
- Lateral pockets
- fireproof
- Waterproof
- Windproof



COLOURS/CODES	
	RFSPWJ10TG..



 **APPROVED**

MANUFACTURER: SABELT
MODEL: DAKAR TJ-1
HOM. NO: DC.435.24-R
FIA STANDARD: 8856-2018

COOL-VEST

NEW

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
XS/S - M/L - XL/XXL	-		



THE OUTER FABRIC IS FULLY CUSTOMIZABLE
THANKS TO THE TS-SUBLIMATION TECHNOLOGY.

- Cool-vest designed to reduce heat exhaustion/heat fatigue improving focus
- Gilet slim fitting
- Removable and rechargeable cooling inserts
- Cooling inserts (4 full sets) included in packaging and re-orderable separately activated by simply placing in freezer for at least 30 min
- Cooling inserts PCM bio-based, non toxic, 100% biodegradable, low rate of flammability, durable, reusable, 20% lightweight saving vs H2O based.


COLOURS/CODES	
	RFTVC000TG..



RCTVC000CP15



CONSTANT TEMPERATURE COOLING PACKS



For your next summer season...

Our innovative technology (Phase Change Material - PCM) cooling technology, is produced with 100% natural vegetable origin. Our "INUTEC-PACK" products cool your gear and your body. Hydrates PCM in a number of sizes:

- Improved fit safety
- Long-term stability
- High-level heat absorption
- Safe handling
- Sustainable and eco-friendly materials

Available in 5 different temperatures:

• 5°C / 41°F	Art. no: 1004000400 (Black)
• 10°C / 50°F	Art. no: 1004000401 (White)
• 15°C / 59°F	Art. no: 1004000402 (Blue)
• 20°C / 68°F	Art. no: 1004000403 (Red)
• 25°C / 77°F	Art. no: 1004000404 (Orange)
• 30°C / 86°F	Art. no: 1004000405 (Yellow)

Our bio-based PCM is non-toxic, 100% biodegradable, non-flammable, durable, reusable, 20% lighter than water, and does not produce any CO2 emissions.

Activation: Simply put the product in your freezer, refrigeration or freezer of choice to cool it down to the temperature you desire. Fully safe.

Recharging: Simply put the product in your freezer, refrigeration or freezer of choice to cool it down to the temperature you desire. Fully safe.

Weight: Approx. 0.33kg per pack (11.3oz)

Components: 1 pack for 150ml - 500ml (5.1oz - 16.9oz)

Notes: The bio-based PCM is non-toxic, 100% biodegradable, non-flammable, durable, reusable, 20% lighter than water, and does not produce any CO2 emissions.

INUTEC PERSONAL COOLING

SHOES



HYPER TB-12

NEW

Size	FIA	Made in Italy	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
38-46	8856-2018		

Top of range professional shoe made of fabric.
A new design has been created to better fit the foot shape. Wider plant, but essential design to ensure lightness and performance.
The double outer fabric allows a greater resistance and therefore support the foot.
In addition, the outer front is reinforced with a fabric specially developed for abrasion resistance.
Made in Italy.

- Technical Details:**
- Upper: fabric 100% nomex
 - Antiabrasion fabric reinforcement
 - Lining: Breathable honeycomb 3D
 - Outer sole: 100% natural rubber
 - Closure system: flat aramidc laces
 - Fireproof TPU Heel reinforcement
 - Printed logos
 - Sizes: 38-46
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTB12NR..



Luigi Moreschi motorsport
www.moreschi.info Srl
Via E. Fermi 4 - 46020
Quingentole (MN), Italy UE
Tel +39-038642545
+39-3928460840
www.moreschi.info
Imm@moreschi.info



HERO PRO TB-10.1

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-48	8856-2018		

Top of the range racing shoes made of kangaroo leather.
Lightweight and comfortable thanks to the superthin kangaroo leather and very breathable with the 3d honeycomb lining developed by Sabelt.
Super flexible for the strobil construction, Hero Pro TB-10 offers the top of pedal sensibility with its NEW ultra flat outersole.
Removable insole is very flexible and is made of real carbon fiber laminated in autoclave.
Anti-abrasion reinforcements are placed in dedicated areas.
Made In Italy.

- Technical Details:**
- Upper: Ultrathin & perforated kangaroo leather
 - Lining: Breathable honeycomb 3d
 - Outersole: 100% natural rubber
 - External reinforcement
 - Closure system: aramidic laces
 - Padded ankle and tongue
 - Removable insole in carbon
 - Printed logos
 - Sizes: 36-48
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTB101NR..
	RFTB101RS..
	RFTB101BL..
	RFTB101BI..



 **APPROVED**

MANUFACTURER: SABELT
MODEL: HERO PRO TB-10
HOM. NO: DC.098.20-Z
FIA STANDARD: 8856-2018

UNIVERSE TB-8

Size	FIA	Available SFI	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-48	8856-2018	3.3/5		

Professional racing shoes made of strong calf leather.
Lightweight and comfortable thanks to the calf leather and very breathable with the 3d honeycomb lining developed by Sabelt.
it's Long lasting, durable shoes for your racing career
Traditional construction is combined with new generation materials.
Removable insole is very flexible and comfortable.
Anti abrasion reinforcements are placed in dedicated areas.
Made In Italy.

- Technical Details:**
- Upper: Ultrastrong calf leather
 - Lining: Breathable honeycomb 3d
 - Outersole: 100% natural rubber
 - External reinforcement
 - Closure system: aramidic laces
 - Padded ankle and tongue
 - Removable insole
 - Printed logos
 - Sizes: 36-48
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTB8NR..
	RFTB8RS..
	RFTB8BI..



 **APPROVED**


MANUFACTURER: SABELT
MODEL: TB-8
HOM. NO: DC.272.22-Z
FIA STANDARD: 8856-2018

CLASSIC TB-2

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-46	8856-2018		

Professional driver racing shoe made of soft suede leather.
Comfortable and breathable with the 3d honeycomb lining developed by Sabelt.
Classic TB-2 is the Iconic Sabelt shoe, well known all around the world for its classic design appreciated also in everyday use.
Made In Italy.

- Technical Details:**
- Upper: Suede leather
 - Lining: Breathable honeycomb 3d
 - Outersole: 100% natural rubber
 - Closure system: aramidic laces
 - Padded ankle and tongue
 - Printed logos
 - Sizes: 36-46
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTB02CLASSICNR..
	RFTB02CLASSICRS..



 **APPROVED**

MANUFACTURER: SABELT
MODEL: TB-2
HOM. NO: DC.118.21-Z
FIA STANDARD: 8856-2018



GLOVES



GECKOTECH TG-11

NEW

Size	FIA	Made in Italy
8-12	8856-2018	

The new Geckotech TG-11 has been developed with new high performance injection silicone palm to ensure maximum grip on the steering wheel and a new breathable fabric for the best driving comfort.

- Technical Details:**
- Palm: injection silicone
 - Breathable external layers
 - External Stitching
 - Elasticated wrist
 - Pre-curved ergonomic design
 - Printed logos
 - Sizes: 8-12
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTG11NR..
	RFTG11RS..
	RFTG11BI..
	RFTG11GR.. NEW



Luigi Moreschi motorsport
www.moreschi.info Srl
Via E. Fermi 4 - 46020
Quingentole (MN), Italy UE
Tel +39-038642545
+39-3928460840
www.moreschi.info
Imm@moreschi.info

HERO SUPERLIGHT TG-10

Size	FIA	SFI	Made in Italy
8-12	8856-2018		

Hero Superlight TG-10 is the Sabelt Top of the range Glove developed for the most demanding professional drivers in motorsport. Its strength is the ergonomic side with a perfect fitting and steering wheel feeling. External stitching to improve driver sensibility and a special silicone print for the maximum grip. Hero Superlight TG-10 includes also specific palm pad and elasticated wrist. Made In Italy.

- Technical Details:**
- Back: single layer
 - Palm: superthin
 - External Stitching
 - Silicone palm print for grip
 - Palm internal pad for comfort
 - Elasticated wrist
 - Pre-curved ergonomic design
 - Printed logos
 - Sizes: 8-12
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTG10NR..
	RFTG10RS..
	RFTG10BL..
	RFTG10BI..
	RFTG10GL..



CHALLENGE TG-2.1

Size	FIA	Made in Italy
8-12	8856-2018	

Challenge TG-2 is the professional driver glove with suede leather palm. Its strengths are: simple design and strong resistance. Precurved fingers, internal stitching and printed design are other important elements of this Sabelt glove. Made In Italy.

- Technical Details:**
- Precurved design
 - Back and Palm made of resistant aramidic fiber
 - Internal Stitching
 - Palm with suede leather insert for grip
 - Printed logos
 - Sizes: 8-12
 - Homologation: 8856-2018



COLOURS/CODES	
	RFTG21NR..
	RFTG21RS..
	RFTG21BL..



UNDERWEAR

Luigi Moreschi motorsport

www.moreschi.info

Via E. Fermi 4 - 46020

Quingentole (MN), Italy UE

Tel +39-038642545

+39-3928460840

www.moreschi.info

Imm@moreschi.info

Sabelt

FIA

ACI

AS

UI-600

FIA

8856-2018

EXCLUSIVE TECHNICAL SOLUTION
MADE IN SABELT

UNIQUE MATERIAL FOR SEAMLESS TECHNOLOGY

UI-600 Top
UI-600 Top is the Sabelt top of the range top underwear. Developed with seamless technology and slim fit. This underwear is used and appreciated by the most important Sabelt drivers for its lightness: it's the must have underwear in the paddock thanks to its features. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Homologation: 8856-2018

UI-600 Pant
UI-600 Pant is the Sabelt top of the range bottom underwear. Slim fit and enveloped with seamless technology. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Homologation: 8856-2018

UI-600 Balacava
UI-600 Balacava is the Sabelt top of the range balacava underwear. Developed with the same material of the UI-600 Top and Pants but with a specific construction dedicated to increase driver comfort. This Balacava offers two lateral stitches to reduce the helmet pressure. Made in Italy.

Details:

- Lightweight material
- Lateral Stitching
- Improved wearability
- Printed logo
- Homologation: 8856-2018

UI-600 Socks
UI-600 Socks is the Top of the range Sabelt Sock. Developed with the same material usen in Top and Pants but with a gradual compression construction. Hand made frontal stritching in finger area to increase comfort. The under foot area is flat to guarantee the better pedal feeling. Made in Italy.

Details:

- Lightweight material
- Gradual Compression Technology
- Improved wearability
- Hand made frontal stitch
- Flat under foot area for pedal feeling
- Printed logo
- Homologation: 8856-2018



BALACLAVA ☐ RFUI600BALBI ☒ RFUI600BALNR Sizes: ONE SIZE	TOP ☐ RFUI600TOPBI.. ☒ RFUI600TOPNR.. Sizes: XS-XXXXL	PANT ☐ RFUI600PANTBI.. ☒ RFUI600PANTNR.. Sizes: XS-XXL	SOCK ☐ Z150UI600SOCKSB.. ☒ Z150UI600SOCKSN.. Sizes: 39-46
APPROVED MANUFACTURER: SABELT MODEL: UI-600 BALACLAVA HOM. NO: DC.099.20-B FIA STANDARD: 8856-2018	APPROVED MANUFACTURER: SABELT MODEL: UI-600 TOP HOM. NO: DC.100.20 -T FIA STANDARD: 8856-2018	APPROVED MANUFACTURER: SABELT MODEL: UI-600 PANT HOM. NO: DC.101.20-L FIA STANDARD: 8856-2018	APPROVED MANUFACTURER: SABELT MODEL: UI-600 SOCKS HOM. NO: DC.088.20-S FIA STANDARD: 8856-2018

UI-600 RF

FIA	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
8856-2018	

UI-600 RF Top
UI-600 RF Top is the Sabelt top of the range Top underwear in regular fit version. The regular fit construction is developed to satisfy professional drivers and mechanics who look for more comfort. Available in white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Tailor packaged construction
- Fit: regular fit
- Colours: White - Black
- Printed logo
- Sizes: S-XXL
- Homologation: 8856-2018

UI-600 RF Pant
UI-600 RF Pant is the Sabelt top of the range Bottom underwear in regular fit version. The regular fit construction is developed to satisfy professional drivers and mechanics who look for more comfort. Available in white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Tailor packaged construction
- Fit: regular fit
- Colours: White - Black
- Printed logo
- Sizes: S-XXL
- Homologation: 8856-2018



TOP
☐ RFUI600TOPRFBI..
☒ RFUI600TOPRFNR..
Sizes: S-XXXL

PANT
☐ RFUI600PANTRFBI..
☒ RFUI600PANTRFNR..
Sizes: S-XXXL



UI-200

FIA	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
8856-2018	

UI-200 Top
UI-200 Top is the Sabelt entry Top underwear for professional drivers. Its construction is made with seamless technology in slim fit sizes. Available in optic white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Sizes: XS-XXL
- Homologation: 8856-2018

UI-200 Pant
UI-200 Pant is the Sabelt entry Bottom underwear for professional drivers. Its construction is made with seamless technology in slim fit sizes. Available in optic white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Sizes: XS-XXL
- Homologation: 8856-2018

UI-200 Balaclava
UI-200 Balaclava is the Sabelt entry Balaclava underwear for professional drivers. Developed with the same material of the UI-200 Top and Pants but with a specific construction developed to increase driver comfort. This Balaclava offers a central stitch on top and a wide front opening. Available in optic white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Central stitch on top
- Increased wearability
- Printed logo
- Sizes: one size
- Homologation: 8856-2018



BALACLAVA
☐ RFUI200BALB
Sizes: ONE SIZE



TOP
☐ RFUI200TOPBI..
☒ RFUI200TOPNR..
Sizes: XS-XXL



PANT
☐ RFUI200PANTBI..
☒ RFUI200PANTNR..
Sizes: XS-XXL



UI-300 PERSONAL UNDERWEAR

FIA	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT	SEAMLESS CONSTRUCTION COMPOSITION WITH NATURAL FIBERS
8856-2018		

 Personal underwear is not mandatory to be worn during racing events.

FIA approved PU is mandatory when it is worn by drivers.

UI-300
Boxer man, Bra woman, Slip woman
All the Personal Underwear products are made with high percentage of natural fibers in order to guarantee a natural feeling to the drivers' skin.



BOXER (man)	SLIP (woman)	BRA
 RFUI300BOXNR..	 RFUI300SLIPNR..	 RFUI300BRANR..
Sizes: M - L	Sizes: M - L	Sizes: M - L
 APPROVED MANUFACTURER: SABELT MODEL: UI-300 SHORTS HOM. NO: DC.368.23-W FIA STANDARD: 8856-2018	 APPROVED MANUFACTURER: SABELT MODEL: UI-300 SLIP HOM. NO: DC.367.23-W FIA STANDARD: 8856-2018	 APPROVED MANUFACTURER: SABELT MODEL: UI-300 BRA HOM. NO: DC.366.23-W FIA STANDARD: 8856-2018



CREW

Luigi Moreschi motorsport

www.moreschi.info

Via E. Fermi 4 - 46020

Quingentole (MN), Italy UE

Tel +39-038642545

+39-3928460840

www.moreschi.info

Imm@moreschi.info

Sabelt

FIA



ARMOR TM-2

Size	Sandwich weight	SFI	Made in Italy	Colour/Code	
XXS-XXXXL	360 g/m ²	3.2A/5 - 3.4			RFTUTM2NR..

EXCLUSIVE TECHNICAL SOLUTION
MADE IN SABELT

AMERICAN FITTING

Professional 2 Pieces Mechanic suit, made of 100% aramidic fiber. Improved lightness and breathability thanks to the two layers construction. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Armour TM-2 shows the iconic racing square quilting and other technical features appreciated in rally application (full floating sleeves, pockets, belt). Made In Italy.

- Technical Details:**
- Weight: 360g/m²
 - Lightweight external layer (Developed by Sabelt)
 - Composed by 2 pieces, jacket and bottom
 - Mechanic feature
 - Full floating sleeves
 - Pocket
 - Belt
 - YKK 3T Zipper (Developed by Sabelt)
 - Embroidered logos
 - Sizes: XXS-XXXXL
 - Homologation: 8856-2018
 - Composition: 100% Aramidic fiber
 - Layers: 2



ROCKET TM-1

Size	Sandwich weight	Hom.	Made in Italy	Colour/Code		 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
S-XXXL	400 g/m ²	n/a			RFTUTM1NR..	

Professional Crew Suit made of Polyester / Cotton. Improved lightness and breathability thanks to the perforated lining. The Rocket TM-1 is a very resistant mechanic suit designed with the same family feeling of the Sabelt racing suit. Full floating sleeves, lateral pockets, belt and embroidered logos are some of interesting details of this product.

- Technical Details:**
- Composition: Polyester / Cotton
 - Full floating sleeves
 - Breathable perforated lining
 - Waist internal elastic tape
 - Pocket
 - Belt
 - Lower neck collar
 - Embroidered logos
 - Sizes: S-XXXL
 - Homologation: N/A
 - Layers: 2



ARMOR TB-4

NEW

Size	FIA	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
39-45	8856-2018		 FRIENDLY	

New mechanic shoe, designed to meet the needs of mechanics on the track 24 hours a day. The new fireproof EVA sole allows for greater comfort and support throughout the day. The upper is in leather, with fabric inserts to ensure structure and breathability.

- Technical Details:**
- Upper: calf leather
 - Lining: Breathable honeycomb 3d
 - Outer sole: 100% fireproof EVA (etil vinyl acetate)
 - The microphosose EVA is particularly light and at the same time is resistant, maintaining excellent flexibility even at low temperatures, making shoes more comfortable and safeguarding the health of the wearer.)
 - Closure system: flat aramidc laces
 - Fabrics inserts
 - Printed logos
 - Sizes: ...
 - Homologation : 8856-2018



COLOURS/CODES	
	RFTB04NR..



LASER TB-3

Size	FIA	Made in Italy	Available	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-48	8856-2018		 FRIENDLY	

Shoes created for professional drivers and crew, made of perforated calf leather. Very breathable with the 3d honeycomb lining developed by Sabelt. Laser TB-3 is a modern sneaker Fia homologated developed for drivers and crew members that look for a different style. It's the Different choice! The outersole with shock absorber is recommended to many hours of activity. Made In Italy.

Technical Details:

- Upper: Perforated calf leather
- Lining: Breathable honeycomb 3d
- Outersole: 100% natural rubber
- Shock absorber material
- Closure system: aramidic laces & strap
- Padded ankle and tongue
- Gusseted tongue
- Reinforced toe-cap
- Removable insole
- Printed logos
- Sizes: 36-48
- Homologation: 8856-2018



COLOURS/CODES	
	RFTB03LASERNR..
	RFTB03LASERBI..



LASER TG-3.1

Size	FIA	Made in Italy	Available	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
9-13	8856-2018		 FRIENDLY	

Laser TG-3 is the Sabelt top of the range Mechanic glove developed with the crew members of most important teams in WEC discipline and Fia homologated. This model has many technical details as the anti-impact knuckles pad. Total padded wrist strap that protect the crew during the rapid tires change. Super grip suede leather apprication into the palm to increased heat protection and a specific silicone area for the wheel gun operations. Made In Italy.

Technical Details:

- Back: single layer
- Palm: Superthin
- Internal Stitching
- Suede leather palm insert for heat protection
- Silicone Wheel gun protection
- Knuckles protection
- Padded wrist strap
- Precurved design
- Printed logos
- Sizes: 9-13
- Homologation: 8856-2018



COLOURS/CODES	
	RFTG31NR..
	RFTG31GFL..



STEERING WHEELS



Sabelt

Luigi Moreschi motorsport
www.moreschi.info Srl
Via E. Fermi 4 - 46020
Quingentole (MN), Italy UE
Tel +39-038642545
+39-3928460840
www.moreschi.info
Imm@moreschi.info



Sabelt    

SW-833

Ø 330 mm

CODE	RFV02029
30% LIGHTER	



SW-633

Ø 330 mm

CODE	RFV02010X
NO STITCHING	



SW-465

Ø 350 mm

CODE	RFV02009X
NO STITCHING	



SW-732

Ø 320 mm

CODE	RFV02038
NO STITCHING	



SW-733

Ø 330 mm

CODE	RFV02026
NO STITCHING	



SW-635

Ø 350 mm

CODE	RFV02007X
NO STITCHING	



SW-390

Ø 350 mm

CODE	RFV02005X
NO STITCHING	



ACCESSORIES



Luigi Moreschi motorsport
www.moreschi.info Srl
Via E. Fermi 4 - 46020
Quingentole (MN), Italy UE
Tel +39-038642545
+39-3928460840
www.moreschi.info
Imm@moreschi.info

Sabelt    

QUICK RELEASE



M220SR6GRN
Quick release steering boss for group N cars, conformity to FIA regulation, compatible with all Sabelt 6-slot steering wheels.



M220SR6B
Quick release steering boss to be welded for Touring/ Rally cars, conformity to FIA regulation, compatible with all Sabelt 6-slot steering wheels.

STEERING WHEEL PROTECTION PAD

NEW



RCVOPAD001
Protection pad with 3 velcro loops to attach to any racing steering wheel.
CONFOR™ foam CF45M (blu) compatible with FIA Appendix J Article 285 (August 2020).

TOW STRAP

Length: 260 mm.
Hole diameter: 15,5 mm.



CCAC0023_A



CCAC0027_A



CCAC0024_A



CCAC0028_A



CCAC0026_A



CCAC0025_A

DOOR STRAP



CCAC0043_A
Door strap to be fixed on the door panel. Length: 220 mm. Hole diameter: 9.5 mm.

NOTEBOOK



Z240600
Size 22 x 17,5 cm

CO-DRIVER POCKET

Nomex fabric.
Velcro locking.
Size 17 x 23 cm.



RFTINAVRS RFTINAVBR RFTINAVBI RFTINAVNR

CO-DRIVER BAG

Co-Driver bag, very thin. Velcro back panel for door bars universal fixation, phone compartment and external pockets.



COLOURS/CODES		
	RFBS0039	27x36x7 cm

WEEKEND BAG



COLOURS/CODES		
	RFBS0016NR	55x37x23 cm
	RFBS0016RS	

SUIT BAG



COLOURS/CODES		
	RFBS0015	46x34x10 cm

K-WAY



COLOURS/CODES		Sizes
	RSPW014BL...	XS-XXL

Regular fit

Nylon ripstop water repellent

Taped seams